

CROSS SECTION – SLAB AND SCREED DETAIL



LIME/SAND SCREED 65-85MM



UNDERFLOOR HEATING (OPTIONAL) INSTALLED ON SLAB BY HEATING CONTRACTOR ↑



LIMECRETE SLAB 100MM – 150MM ↑



GEOTEXTILE ↑



RECYCLED FOAMED GLASS INSULATION 120MM – 350MM ↑



GEOTEXTILE ↑



LEVELLED AND COMPACTED GROUND PREPARED BY YOURSELVES ↑

APPROXIMATE SCHEDULE

- WEEK 1 – NO FOOT TRAFFIC ON SLAB
- WEEK 2 – LIGHT FOOT TRAFFIC WITH COVER PROTECTION
- WEEK 3 – UNDERFLOOR HEATING INSTALLED
- WEEK 4 – SCREED PLACED
- WEEK 5 – NO FOOT TRAFFIC ON SCREED
- WEEK 6 – LIGHT FOOT TRAFFIC
- WEEK 7 – WORK AS NORMAL

TIMING WILL VARY DEPENDING ON VARIOUS FACTORS SUCH AS TEMPERATURE, INCLUDING AMBIENT TEMPERATURE OF BUILDING WHEN BEING PLACED.